




Your Performance Partner

## UPPER DECK AUDIENCE SEATING®




### *Big-time audience seating that goes up without a crowd.*

Upper Deck is an innovative way to add large-capacity seating with minimal effort and in very little time. Just roll it out, unfold it, and lock it all together. There are few pieces to install, and all of them attach quickly and securely with virtually no tools. The seating is spacious, sturdy, and extremely secure.

It's so easy, a crew of four can set up seating for 200 in under two hours. It's so strong, it meets or exceeds all applicable building codes. It's so flexible, you can take it down quickly and store it compactly, or you can leave it up indefinitely. And with Upper Deck Corner Sections, you can increase your seating capacity, improve audience sightlines and create aisles for more efficient traffic flow.

Upper Deck Audience Seating - There has never been a better way to get all the advantages of permanent seating in a design that so easily adapts to your changing needs.

# INNOVATIVE DESIGN THAT ADAPTS TO YOUR CHANGING NEEDS.



Decks are finished with aluminum extrusions, built with radiused edges, to eliminate sharp corners.

## DECKS

Decks mount on top of the grid structure and also interlock together.



## TRUSSES

Trusses connect column-endframe base structures together to create the grid superstructure.



## DIAGONAL SWAY RACES

Braces are an integral part of each column above 32" (81cm) to meet building code specifications and ensure lateral stability.

## COLUMNS

Columns come in ascending heights and connect to endframes.




## ENDRAILS AND BACKRAILS


Accessories attach easily without tools and meet all applicable building code standards.

## ENDFRAMES

Endframes also come in ascending heights and attach directly to columns. Column-endframe assemblies lock together to create the base structure.



Columns, endframes, and trusses lock together to create a sturdy, quiet structure. All components connect quickly and securely without tools.



Backrails and endrails also attach quickly and securely with their own integrated locking system. Both rails also meet all applicable building code standards.



Corner Sections allow you to create 45 degree or 90 degree angles to maximize seating and improve sightlines.



Corner Sections allow you to create aisles for access to an entry and exit door.



With its fold-out frame, Upper Deck doesn't have to be completely disassembled to take it down. Just remove the decks and rails and fold it flat against the wall.



The convenient quick-release-pin system and interlocking components eliminate loose parts and the need for tools.



All columns feature leveling feet for easy adjustments.

# SETUP THAT'S FAST, SIMPLE AND SAFE.



Easy to repair or replace because components are simple and readily available.



After the base structure is assembled, decks are set into position with a convenient lowering tool that eliminates back strain while facilitating placement.



Once set up, the rows of seating are extremely sturdy and very spacious. Each deck is also built with an integrated chair stop for another level of security.



Upper Deck's innovative erector-set design meets all building code standards for grandstand seating and also provides plenty of storage space underneath.




Neoprene wheels and fabricated steel wheel mount construction enables smooth movement of the entire support structure for relocation.

Fabricated steel gear drive construction that allows for quick and easy leveling of the frame assembly with a drill-mounted attachment.



Two deck surface choices:



Standard  
Black  
Phenolic  
Overlay



Standard  
Natural  
Tempered  
Hardboard

Decks are also available with an optional acoustic honeycomb core.

# UPPER DECK AUDIENCE SEATING®

## WENGER MOVE & STORE CARTS SIMPLIFY THE JOB

Wenger has a well-earned reputation for simplifying installation and making storage more convenient. Our Move & Store Carts facilitate both ends of the job. Use them to roll out all Upper Deck components during set up and watch how fast you go. And when you're ready to take down Upper Deck, place each component on its dedicated cart as you strike the setup. Then just roll the carts into a tight corner or against the wall until you want to use them again.



Column Cart



Truss Cart



Deck Cart



Endframe Cart



Rail Cart

### PRODUCT SPECIFICATIONS

- Simple innovative design with welded-steel construction.
- Fast, easy, and safe to install and reconfigure.
- Worker-friendly assembly – minimal loose parts and no extra tools required.
- Meets all building code standards for grandstand seating, including guardrails and handrails.
- Field-repairable and easy to replace parts and components.
- Available in different configurations. Architectural specifications are available from your Wenger representative.
- Two deck surface choices: black phenolic overlay or tempered hardboard.
- Decks are also available with an optional acoustic honeycomb core.
- Two deck standard sizes: 3' x 8' (91cm x 244cm) and 4' x 8' (122cm x 244cm). Custom sizes available.
- Decks are finished with aluminum extrusions and built with radiused edges.
- Decks are built with integrated chair stops for another level of safety and security.
- Available in different elevation heights from 4" to 24" (10cm to 61cm) in 1" (2.5cm) increments.
- Leveling feet on all columns adjust height up to 4" (10cm).
- Maximum height available: 10' (3m).
- Corner Sections are available in 4" to 24" (10cm - 61cm) elevations.
- Two Corner Sections create a 45° angle; four sections create a 90° angle.
- Corner design can create aisles for entry and exit.
- Individual Move & Store carts for decks, columns, endframes, trusses, and rails.
- Standard or custom stairways available.
- Meets a uniform vertical load of 100 psf (45kg) and side load criteria of states with seismic loading requirements.

#### WENGER CORPORATION

555 Park Drive, PO Box 448  
Owatonna, MN 55060-0448  
Phone 800.4WENGER (493-6437)  
Fax 507.455.4258  
Customer Service 800.887.7145

#### CANADA

219 Dufferin, Suite 117C  
Toronto, Ontario, Canada M6K 3J1  
Phone 800.268.0148  
Fax 416.754.3996

#### WENGER CORPORATION BEIJING REPRESENTATIVE OFFICE

Tel 0086-10-84972502  
Fax 0086-10-84972575

#### WORLDWIDE

Phone 1.507.455.4100  
Fax 1.507.774.8576

#### WEB SITE

wengercorp.com