
AcoustiCabinets[®]


- Variety of styles tailored to different storage needs
- Wall panels are 3/4" (19 mm) thick industrial grade composite wood with no added formaldehyde and polyester laminate finish in Wenger standard colors
- · Patented shelves are blow-molded polyethylene mounted with self-lock shelf supports
- Grooved shelves allow air to circulate
- Acoustically absorptive material at the back of the AcoustiCabinet helps eliminate direct sound reflection while absorbing high and low frequencies
- Acoustical performance, one-third Octave Band Center Frequency, Hz, for four 27-1/2"w x 21-3/4"d x 85-5/8"h (699 x 553 x 2175 mm) in compliance with testing standards defined by ASTM C423-02a and E795-05 when installed as recommended
- Waterfall design on grille doors provide a distinctive look, minimize cubic volume loss and reduce vibration
- Doors include heavy-duty 5-knuckle institutional ANSI/BHMA A156.9, Grade 1 hinge, through-bolted to cabinet wall
- Locking slide bolt with strike plate designed for padlocks with 3/4" (19 mm) maximum vertical shackle clearance
- Edging is 1/8" (3 mm) radiused PVC
- Cabinets have four or five adjustable steel leveling glides for uneven floors
- Ventilation in casework for circulation help dissipate moisture and aid air circulation
- End panel covers are required in installations where closures are not used; They are provided in the matching polyester laminate finish and included with the order
- Assembly required for all cabinets wider than 28" (711 mm)
- Cabinet #17 has one shelf with twelve possible height positions, the cabinet has no bottom and is open to the floor
 - For wheeled instruments like timpani or marimba, the shelf is typically placed near the top to allow instruments to roll underneath
 - For keyboard storage, up to eleven additional shelves can be added to create compartments measuring 58.5"w x 30"d x 4"h (1486 x 762 x 102 mm)
 - Each added shelf with supports takes up 2" (51 mm) of space
- UL GREENGUARD certified product certified for low chemical emissions: ul.com/gg - UL 2818
- Ten-year warranty
- Patent number: 7,921,960



Cabinet #4 shown

Wenger

CORPORATION



Standard compartment sizes.

Cabinets are shown without doors and 38" height cabinets are shown without work surface tops.

The provided dimensions are nominal and intended for estimation purposes only. For assistance with specific installation requirements and product applications, please contact your Wenger Corporation representative.

*Narrow width sizes do not fit trombones. Wider tenor saxophone cases may not fit in #5, #7, #24, #28, #55 and #61 narrow compartment sizes.


#22 Cabinet size: 10"w x 29-1/4"d x 85-5/8"h (254 x743 x 2175 mm) Narrow cabinet width: 8" (203 mm) Weight: 220 lb (100 kg) Compartment sizes: 8"w x 27-3/8"d x 14-5/8"h (203 x 695 x 371 mm) Narrow compartment width: 6" (152 mm) Stores: 5 clarinets, flutes, piccolos or oboes #26 Cabinet size: 7 1/0"w z 20 1/4"d x 60 2/4"b	#23 Cabinet size: 18-3/4* w x 29-1/4*d x 85-5/8*h (476 x 743 x 2175 mm) Narrow cabinet width: 14-3/4* (375 mm) Weight: 320 lb (145 kg) Compartment sizes: 8*w x 27-3/8*d x 14-5/8*h (203 x 695 x 371 mm) Narrow compartment width: 6* (152 mm) Stores: 10 clarinets, flutes, piccolos or oboes #27 Cabinet size: 72.16*w z 20.1/4*a x 60.2/4*b	#24 Cabinet size: 14-3/8'w x 39-1/4"d x 85-5/8"h (365 x 997 x 2175 mm) Narrow cabinet width: 11-3/8" (289 mm) Weight: 229 lb (104 kg) Compartment sizes: 12-3/8'w x 37-3/8"d x 14-5/8"h (314 x 949 x 371 mm) Narrow compartment width: 9-3/8" (238 mm)* Stores: 5 trombones, bassoons, bass clarinets, violins, violas, tenor saxophones or alto clarinets #28 Cabinet size: 7.10"/w x 20.1/4" x 60.2/4"b	#25 Cabinet size: 27-1/2"w x 19-1/4"d x 69-3/4"h (699 x48) x 1772 mm) Narrow cabinet width: 21-1/2" (546 mm) Weight: 315 lb (143 kg) Compartment sizes: 8"w x 17-3/8"d x 14-5/8"h (203 x 441 x 371 mm) Narrow compartment width: 6" (152 mm) Stores: 12 clarinets, flutes, piccolos or oboes #29 Cabinet size: 72.10"http://dia.com/di
27-112 ⁻ / ₂ x 29-11 ⁴ / ⁴ / x 69-314 ⁴ h (699 x 743 x 1772 mm) Narrow cabinet width: 21-112 ^a (546 mm) Weight: 299 lb (136 kg) Compartment sizes: 8 ^a / ₂ x 27-318 ^a /d x 14-5/8 ^a h (203 x 695 x 371 mm) Narrow compartment width: 6 ^a (152 mm) Stores: 12 clarinets, flutes, piccolos or oboes #30	27-1/2*w x 29-1/4**d x 69-3/4*h (699 x 743 x 1772 mm) Narrow cabinet width: 21-1/2** (546 mm) Weight: 256 lb (116 kg) Compartment sizes: 12-3/8*w x 27-3/8*d x 14-5/8*h (314 x 695 x 371 mm) Narrow compartment width: 9-3/8** (238 mm) Stores: 8 trumpets, cornets or alto saxophones #41	27-1/2*'w x 39-1/4*" x 69-3/4*"h (699 x 997 x 1772 mm) Narrow cabinet width: 21-1/2*' (546 mm) Weight: 302 lb (137 kg) Compartment sizes: 12-3/8*w x 37-3/8*"d x 14-5/8*"h (314 x 949 x 371 mm) Narrow compartment width: 9-3/8*' (238 mm)* Stores: 8 trombones, bassoons, bass clarinets, violins, violas, tenor saxophones or alto clarinets #42	27-1/2"w x 29-1/4"d x 69-3/4"h (699 x 743 x 1772 mm) Weight: 265 lb (120 kg) Compartment sizes: 8"w x 27-3/8"d x 14-5/8"h (203 x 695 x 371 mm) 8"w x 27-3/8"d x 48-1/4"h (203 x 695 x 123 mm) Stores: 3 guitars and 3 clarinets, flutes, piccolos or oboes
Cabinet size: 27-1/2*w x 29-1/4*d x 69-3/4*h (699 x 743 x 1772 mm) Narrow cabinet width: 21-1/2* (546 mm) Weight: 181 lb (82 kg) Compartment sizes: 25-1/2*w x 27-3/8*d x 61-7/8*h (648 x 695 x 1572 mm) Narrow compartment width: 19-1/2* (495 mm) Stores: 1 cello or guitar #44	Only available in UltraStor models. #45	Cabinet size: 60-1/2*w x 39-1/4*d x 85-5/8*h (1537 x 997 x 2175 mm) Weight: 428 lb (194 kg) Compartment sizes: 58-1/2*w x 37-3/8*d x 81*h (1486 x 949 x 2057 mm) Stores: up to 3 bass, 4 cellos, 18 guitars, 20 violins or violas #46	Cabinet size: 27-1/2*w x 39-1/4*d x 85-5/8*h (699 x 997 x 2175 mm) Narrow cabinet width: 21-1/2* (546 mm) Weight: 303 lb (137 kg) Compartment sizes: 25-1/2*w x 37-3/8*d x 14-5/8*h (648 x 949 x 371 mm) Narrow compartment width: 19-1/2* (495 mm) Stores: 5 trombones, bass trombones or orchestra bells #47
Cabinet size: 27-1/2"w x 29-1/4"d x 85-5/8"h (699 x 743 x 2175 mm) Narrow cabinet width: 21-1/2" (546 mm) Weight: 242 lb (110 kg) Compartment sizes: 25-1/2"w x 27-3/8"d x 37-3/8"h (648 x 695 x 949 mm) Narrow compartment width: 19-1/2" (495 mm) Stores: 2 bass drums	Cabinet size: 27-1/2*w x 39-1/4*d x 85-5/8*h (699 x 997 x 2175 mm) Narrow cabinet width: 21-1/2* (546 mm) Weight: 270 lb (122 kg) Compartment sizes: 25-1/2*w x 37-3/8*d x 14-5/8*h (648 x 949 x 371 mm) 25-1/2*w x 37-3/8*d x 61-7/8*h (648 x 949 x 1572 mm) Narrow compartment width: 19-1/2* (495 mm) Stores: 1 snare drum and 1 cello or guitar	Cabinet size: 27-1/2°w x 29-1/4°d x 85-5/8°h (699 x 743 x 2175 mm) Weight: 308 lb (140 kg) Compartment sizes: 8°w x 27-3/8°d x 78-1/2°h (203 x 695 x 1994 mm) Stores: flags, 3 contrabassoons or 3 electric guitars	Cabinet size: 27-1/2" w x 29-1/4" d x 85-5/8"h (699 x 743 x 2175 mm) Narrow cabinet width: 21-1/2" (546 mm) Weight: 246 lb (112 kg) Compartment sizes: 25-1/2" w x 27-3/8"d x 14-5/8"h (648 x 695 x 371 mm) Narrow compartment width: 19-1/2" (495 mm) Stores: 5 mellophones, marching trombones or snare drums
#50 Cabinet size: 27.1/2'w x 39.1/4''d x 38-5/16''h (699 x 997 x 973 mm) 39-7/16''h (1002 mm) - with HPL work surface top Narrow cabinet width: 21.1/2'' (546 mm) Weight: 118 lb (54 kg) - without HPL work surface top 148 lb (67 kg) - with HPL work surface top Compartment sizes: 25-1/2''w x 37-3/8''d x 25''h (648 x 949 x 635 mm) Narrow compartment width: 19-1/2'' (495 mm) Stores: 1 baritones, euphoniums or mellophones	#51 Cabinet size: 27-1/2" wx 19-1/4"d x 38-5/16"h (699 x 489 x 973 mm) 39-7/16"h (1002 mm) - with HPL work surface top Narrow cabinet width: 21-1/2" (546 mm) Weight: 108 lb (49 kg) - with HPL work surface top 128 lb (58 kg) - with HPL work surface top Compartment sizes: 8"w x 17-3/8"d x 14-5/8"h (203 x 441 x 371 mm) Narrow compartment width: 6" (152 mm) Stores: 6 clarinets, flutes, piccolos or oboes	#52 Cabinet size: 27-1/2"w x 29-1/4"d x 38-5/16"h (699 x 743 x 973 mm) 39-7/16"h (1002 mm) - with HPL work surface top Narrow cabinet width: 21-1/2" (546 mm) Weight: 150 lb (68 kg) - with HPL work surface top 180 lb (82 kg) - with HPL work surface top Compartment sizes: 8" w x27-3/8" d x 14-5/8"h (203 x 695 x 371 mm) Narrow compartment width: 6" (152 mm) Stores: 6 clarinets, flutes, piccolos or oboes	#53 Cabinet size: 27-1/2" w 29-1/4"d x 38-5/16"h (699 x 743 x 973 mm) 39-7/16"h (1002 mm) - with HPL work surface top Narrow cabinet width: 21-1/2" (546 mm) Weight: 113 lb (51 kg) - without HPL work surface top 143 lb (65 kg) - with HPL work surface top Compartment sizes: 25-1/2" w 27-3/8"d x 25"h (648 x 695 x 635 mm) Narrow compartment width: 19-1/2" (495 mm) Stores: 1 french horn, alto horn or snare drum

Standard compartment sizes.

Cabinets are shown without doors and 38" height cabinets are shown without work surface tops.

The provided dimensions are nominal and intended for estimation purposes only. For assistance with specific installation requirements and product applications, please contact your Wenger Corporation representative.

*Narrow width sizes do not fit trombones. Wider tenor saxophone cases may not fit in #5, #7, #24, #28, #55 and #61 narrow compartment sizes.



Standard compartment sizes.

Cabinets are shown without doors and 38" height cabinets are shown without work surface tops.

The provided dimensions are nominal and intended for estimation purposes only. For assistance with specific installation requirements and product applications, please contact your Wenger Corporation representative.

*Narrow width sizes do not fit trombones. Wider tenor saxophone cases may not fit in #5, #7, #24, #28, #55 and #61 narrow compartment sizes.

Note: AcoustiCabinets are only available with compartment "Waterfall" design grille doors. Work surface tops must be specified at time of order for 38" high cabinets.

Note: Recommended installation is 2-1/2" (64 mm) from the back wall. Add 2-1/2" (64 mm) to cabinet depth for installed depth.

Wenger PRCLANCY Decarboss

© 2024 Wenger Corporation USA/2024-12

Minnesota Location

Wenger Phone 800.4WENGER (493-6437) Wenger Worldwide +1.507.455.4100 | Parts & Service 800.887.7145 | wengercorp.com GearBoss Phone 800.493.6437 | gearboss.com 555 Park Drive, PO Box 448 | Owatonna | MN 55060

J.R. Clancy Phone 800.836.1885 JR Clancy Worldwide +1.315.451.3440 | jrclancy.com | 7041 Interstate Island Road | Syracuse | NY 13209