

Wenger®

CORPORATION

CHORAL RISERS



SIGNATURE® CHORAL RISER

THE RISER YOU'VE ALWAYS WANTED.



Wenger has reinvented the choral riser with every advantage you can imagine in a single, striking, easy-to-handle design. Classic black styling. Simple setup. Lightweight construction. Superb stability. Smooth mobility that fits through standard doorways. Quick step reversibility. Available in a 3-step or 4-step design with permanent backrail and an optional side rail set (set of 2) for added security. A compact footprint for less storage space. All backed by Wenger's fifteen-year warranty. Wenger Signature Choral Risers – now you can have it all.





Step supports are welded steel for maximum stability and strength. Backrails are permanently attached for maximum safety.

COLORS

Grey Carpet



Signature is designed from top-rail to floor to ensure flawless operation and long-lasting good looks. The level of detail is exquisite, with carpet edges protected by structural aluminum extrusions for a finishing touch that adds both distinction and stability.

Both the 3- and 4-step models have a compact footprint. They tuck away into tiny areas, saving you precious storage space. And both Signature models fit through standard doorways.



Signature is easy for one person to roll and control.



Just maneuver it into place and unfold with a single fluid motion.



It sets up without tools to provide excellent stability.



Optional siderails provide additional security for performers of all ages.

SIGNATURE CHORAL RISER SETS

Signature Choral Risers may be arranged in a variety of configurations to support both large and small choral groups and may be adapted to fit almost any space. Use the charts below as a general guideline when determining your needs. Contact your Wenger representative for help in making your final selection.

3-STEP SIGNATURE (098G053)		
GROUP CAPACITY*	UNITS NEEDED	SPACE REQUIRED
12-16	1	6'w x 4'10"d
24-32	2	11'10"w x 6'4"d
36-48	3	17'5"w x 6'3"d
48-64	4	22'5"w x 7'7"d
60-80	5	26'10"w x 9'd
72-96	6	30'7"w x 10'10"d
84-112	7	33'6"w x 12'9"d
96-128	8	35'5"w x 15'd

4-STEP SIGNATURE (098G054)		
GROUP CAPACITY*	UNITS NEEDED	SPACE REQUIRED
17-23	1	6'6"w x 6'd
34-46	2	12'10"w x 6'11"d
51-69	3	18'10"w x 7'9"d
68-92	4	24'3"w x 9'1"d
85-115	5	29'1"w x 10'6"d
102-138	6	33'1"w x 12'4"d
119-161	7	36'2"w x 14'4"d
136-184	8	38'4"w x 16'6"d

*First number indicates how many high school students will fit on a riser set if all students stand shoulder to shoulder. Second number indicates how many students will fit on a riser set if they are all facing center with shoulders overlapping. Numbers include a row of students standing on the floor. Adult groups should use lower number.



3-step Signature Riser shown with optional siderail



4-step Signature Riser shown with optional siderail


PRODUCT SPECIFICATIONS:

- Patented fold-down design is easy for one person to set up.
- Steel construction for unparalleled stability and quiet performance.
- Formal black styling is attractive and appropriate for any performance or venue.
- 3-step riser is 6' (1829 mm) wide at back of third step.
- 4-step riser is 6'-6¹/₄" (1988 mm) wide at the back of fourth step.
- Both 3- and 4-step models fit through standard doorways.
- Both models feature a compact footprint for easier storage.
- Sturdy backrail with child-height crossbar.
- Option Siderail Set (2) for additional security is available as an accessory.
- Steps are 18" (457 mm) deep.
- Fifteen-year warranty.
- Assembly required.
- Environmental attributes and LEED compliance can be found at www.wengercorp.com/green-initiatives.php or by contacting your Wenger representative.

098G053 3-step Signature Riser, 227 lbs. (103 kg)

098G054 4-step Signature Riser, 316 lbs. (143 kg)

098G541 Siderail (set of 2), 62 lbs. (28 kg)



TOURMASTER® CHORAL RISER

THE PERFECT RISER FOR CHOIRS ON THE GO.



Tourmaster is the only choral riser truly designed to go where choirs go. Whether it's up stairs or around tight corners, each Tourmaster choral riser folds up flat and rolls with the stability and ease of a two-wheel cart. They're easy to maneuver, transport and set-up. Once in place, it takes just 10 seconds to unfold and lock into the upright position. And the Tourmaster Cart is the ideal tool for moving and storing multiple risers. Each cart holds up to four Tourmaster choral risers, backrails and 4th-step additions - the perfect solution for choirs that travel across the hall or across the country. No other comparable riser sets up so easily or stores in less space.

Tourmaster steps come in either 18" or 24" (457 or 610 mm) depths for performers of all ages. Recommended backrails and siderails provide added security and a refined look. And like all Wenger products, Tourmaster is built extremely tough to ensure solid performances, year after year.



Wenger®

POPS UP IN JUST 10 SECONDS.



Four-foot Tourmaster rolls smoothly and securely down the hall, around tight corners, even down stairs.



For set-up, Tourmaster unfolds easily like an accordion.



Just step on the frame and lift. The Lift Assist mechanism helps you raise the riser and lock it into the upright position.



Once set up, Tourmaster is solid and stable.



Take down is just as easy. Just activate the foot-pedal release, push and let down.



18" (457 MM) 3-STEP 6' (1829 MM) TOURMASTER SETS		
GROUP CAPACITY*	UNITS NEEDED	SPACE REQUIRED
12-16	1	6'w x 4'10"d (1829w x 1473d mm)
24-32	2	11'10"w x 6'4"d (3607w x 1930d mm)
36-48	3	17'5"w x 6'3"d (5309w x 1905d mm)
48-64	4	22'5"w x 7'7"d (6833w x 2311d mm)
60-80	5	26'10"w x 9'd (8179w x 2743d mm)
72-96	6	30'7"w x 10'10"d (9322w x 3302d mm)
84-112	7	33'6"w x 12'9"d (10211w x 3886d mm)
96-128	8	35'5"w x 15'd (10795w x 4572d mm)

18" (457 MM) 3-STEP 4' (1219 MM) TOURMASTER SETS		
GROUP CAPACITY*	UNITS NEEDED	SPACE REQUIRED
8-12	1	4'3"w x 4'8"d (1295w x 1422d mm)
16-24	2	8'6"w x 5'd (2591w x 1524d mm)
24-36	3	12'7"w x 5'4"d (3835w x 1626d mm)
32-48	4	16'8"w x 6'1'd (5080w x 1854d mm)
40-60	5	20'4"w x 6'8"d (6198w x 2032d mm)
48-72	6	23'10"w x 7'8"d (7264w x 2337d mm)
56-84	7	27'w x 8'8"d (8230w x 2642d mm)
64-96	8	30'w x 9'11'd (9144w x 3023d mm)

24" (610 MM) 3-STEP 4'7" (1397 MM) TOURMASTER SETS		
GROUP CAPACITY*	UNITS NEEDED	SPACE REQUIRED
8-12	1	4'7"w x 6'2"d (1397w x 1880d mm)
16-24	2	9'2"w x 6'6"d (2794w x 1981d mm)
24-36	3	13'6"w x 6'10"d (4115w x 2083d mm)
32-48	4	17'10"w x 7'7"d (5436w x 2311d mm)
40-60	5	21'10"w x 8'2"d (6655w x 2489d mm)
48-72	6	25'8"w x 9'3"d (7823w x 2819d mm)
56-84	7	29'2"w x 10'2"d (8890w x 3099d mm)
64-96	8	32'3"w x 11'6"d (9804w x 3505d mm)

18", 4' (457, 1219 mm), 4th-step addition will add space for 3-4 performers per unit. 24" (610 mm), 4th-step addition will add space for 3-4 performers per unit. 18", 6' (457, 1829 mm), 4th-step addition will add space for 4-5 performers per unit.

* First number indicates how many performers will fit on a riser set if all performers stand shoulder to shoulder. Second number indicates how many performers will fit on a riser set if they are all facing center with shoulders overlapping. Numbers include a row of performers standing on the floor. Adult groups should use the lower capacity number.

Numbers vary depending on the physical size of members, overlapping shoulders and the use of the ground as an additional row. Note: Choral risers are not designed for dance or active choreography.

TOURMASTER BACKRAILS AND SIDERAILS



Backrail Swing Bracket



Siderail Swing Bracket

Backrails and siderails are recommended for added security. They attach quickly and securely with swing brackets and without the need for tools.



TOURMASTER 4TH-STEP ADDITION

An optional 4th-step addition is available for all Tourmaster Choral Risers. The 4th-step addition attaches to each corresponding Tourmaster Riser with integral leg clamps, without the need for tools.

PRODUCT SPECIFICATIONS:

- One-piece design makes set-up easy and extremely fast
- Manueverable in hallway and around tight corners
- Foot pedal activated cross brace locks or releases leg structure automatically
- One person set-up for four-foot model; two people recommended for six-foot model
- Quality construction stands up to years of use
- Narrow footprint for compact storage
- Heavy-duty wheels and built-in stair glides
- Grey powder-coat finish
- Carpet available in Grey
- Steps are bolted to understructure for maximum security and reduced riser noise
- 3-step/18"-deep (457 mm) model available in 4' and 6' (1219 and 1829 mm) lengths, both with optional 4th-step addition
- 3-step/24"-deep (610 mm) model available in 4'7" (1397 mm) length with optional 4th-step addition
- Swing brackets attach the 4th-step addition to each choral riser without the need for tools
- Steps can be removed and reversed to create semi-circular or straight arrangements as group size changes
- Recommended backrail and siderail available for all models
- Backrails comply with OSHA standards and can extend the full riser width to create a continuous backrail when multiple units are placed side-by-side
- 15-year warranty against defects in materials and workmanship

TOURMASTER CART SPECIFICATIONS:

- Cart holds up to four Tourmaster risers, four backrails and four 4th-step additions
- Buckled straps attach 4th-step additions securely to cart frame
- Backrails nest together on backrail supports
- 6" (152 mm) diameter casters, all 4 casters swivel
- Cart is steel construction with black baked on powder paint
- Lift and rotate swing arms move out of the way to allow risers to be easily loaded and unloaded
- Three cart sizes:
 Cart for 6' (1839 mm) Tourmaster risers with 18" (457 mm) steps, Part number: 024F950
 Cart for 4' (1219 mm) Tourmaster risers with 18" (457 mm) steps, Part number: 024F951
 Cart for 4'7" (1397 mm) Tourmaster risers with 24" (610 mm) steps, Part number: 024F952
- Fits through a standard 36" (914 mm) doorway – 24" (610 mm) riser requires 40" (1016 mm) doorway



Tourmaster carts are available for 4' and 6' (1219 and 1829 mm) 18" (457 mm) steps, as well as the 24" (610 mm) step Tourmaster riser.



Carts have heavy-duty swivel casters for easy maneuverability and four pairs of swing-arms that pivot outward for ease of loading risers.



The Tourmaster cart holds up to four risers including four backrails and four 4th-step additions.



Backrails nest together on backrail supports for storage or transport.



Risers stack easily, by alternating the direction of the riser positioning wheels.



Each swing-arm lifts upward and pivots outward for stacking each riser then inserts into holding sockets for a secure fit.




Four 4th-step additions can be stacked on top of the fourth swing-arm then attached securely to the cart frame with buckled straps.

STAGETEK® STAGING SYSTEM


MAXIMIZE FLEXIBILITY.



Everything about StageTek® is an advancement. The refined, smart design is the result of extensive research, engineering and technical advancements in materials and manufacturing. Our staging system is lighter, stronger, easier to handle and faster to set up. When it comes to stretching your investment across multiple needs like seated risers and performance stages, StageTek sets a new standard. For unlimited flexibility, an extra set of legs stored under your deck is all you will need – that's why we make the legs strong, simple and inexpensive. Compare Wenger's StageTek Staging to any other option and see for yourself why your next stage or riser will be StageTek.



STAGETEK® STAGING SYSTEM
EASY SET-UP



DECK STORAGE AND TRANSPORT



SET UP



PLATFORMS



TIERED SECTIONS



FLAT OR MULTI-LEVEL STAGES



A crew of one or more can set up an entire StageTek stage – with accessories – quickly. StageTek goes up without pins, tools or separate assemblies.



SEATED RISERS

StageTek allows you to create seated risers for any event. Further enhance your setup with side and front closure panels for a finished look that also keeps dust and litter from collecting underneath.

Setting up single- or multi-level stages is fast and easy with various sets of legs, and Wenger's articulating stairway adapts to virtually any height you need.



DECK OPTIONS

SIX STANDARD DECK SIZES

- 3' x 3' (914 x 914 mm): 37 lbs (17 kg)
- 3' x 6' (914 x 1829 mm): 65 lbs (29 kg)
- 3' x 8' (914 x 2438 mm): 87 lbs (39 kg)
- 4' x 4' (1219 x 1219 mm): 59 lbs (27 kg)
- 4' x 6' (1219 x 1829 mm): 85 lbs (39 kg)
- 4' x 8' (1219 x 2438 mm): 107 lbs (49 kg)

VARIETY OF DECK SIZES, SURFACES AND LEG TYPES

With a single set of StageTek decks and interchangeable legs of different lengths, you can create just about any staging setup you need in no time. The StageTek concept is simple. Instead of attached legs, StageTek decks have optional sturdy retention clips that store and transport interchangeable legs. By using legs of different lengths, a crew of two can turn StageTek into multi-level stages, seated risers, runways, speaker platforms, graduation stages, and just about any other configuration you can imagine.



LEG OPTIONS

FIXED HEIGHT LEG SIZES

- 8" (203 mm)
- 16" (406 mm)
- 24" (610 mm)
- 32" (813 mm)
- 40" (1016 mm)
- Available in any height



ADJUSTABLE LEGS

Available from 4"-120" (102 - 3048 mm) in height

TELESCOPIC LEGS

- 16" - 28" (406 - 711 mm)
- 24" - 40" (607 - 1016 mm)
- 30" - 54" (762 - 1372 mm)



Pie-shaped decks give you unmatched flexibility to create a variety of configurations.



1/4 Round Deck



Tri-Corner



Painted surface, frame and leg options available (excludes telescopic legs).

STAGETEK® OUTDOOR STAGING



Aluminum deck designed for outdoor use in all types of weather. Decks have spaces for drainage and a textured surface to improve traction and reduce shine. Will not rot, peel, warp or swell. Non-combustible.



ACCESSORIES

UNIVERSAL MOVE & STORE CART



Universal Move and Store Cart – for decks and guardrails.

10-unit horizontal cart kit also available.

PLUG-N-PLAY LEGS AND CENTER LEG OPTION

CLAMPS, CONNECTORS AND BRACES

Optional Retention Clips mount under the deck to provide leg storage and a variety of metal leg-to-leg, leg-to-deck, overlap and anchor-brackets are available.



Leg Retention Clips

Shown with center leg option for heavy duty applications.



Fixed Height, Adjustable Legs and Telescopic Legs



Hook and Loop Velcro Leg Strap



Leg-to-Frame Connectors



Leg-to-Leg Connectors



Low-Rise Bracket



Anchor-Bracket



Leg Retention Clips (set of 4)

Not shown: Overlap Bracket Available

Connection brackets determined by layout. Please consult with your Wenger Representative for suggested options.



ROLL-A-DECK KIT

Transform your StageTek Staging into a rolling riser. Ideal for applications that require rapid setups and changeovers.



ADA-COMPLIANT RAMPS

Made with Quadriple stage surface, This ramp will connect easily with any stage setup you build.



Meets the requirements as outlined in the 2015 INTERNATIONAL BUILDING CODE - SECTION 1012

STAIRWAYS



DUAL-HEIGHT STAIRWAY
Available in 2-, 3- or 4-step units include handrails and safety treads.



ARTICULATING STAIRWAY
Variable-height stair units include removable safety and handrails treads. Available in 3-, 4-, 6- and 8-step models.



MID-AISLE HANDRAIL
Easily attaches to StageTek decks for use with audience seating applications.



BOX STEPS
Configured to work with your StageTek Audience Seating. Custom widths and heights available.



STAGETEK® STAGING SYSTEM OFFERS MULTIPLE CONFIGURATIONS

TYPICAL STAGING SETS

Wenger offers complete StageTek staging sets tailored to your needs. As your needs change, you can simply order additional leg sets to accommodate new height requirements.




This is a small sample of what you can create.

Elevation	Dimensions	Number of Decks
24" (610 mm) 32" (813 mm)	12' x 16' (3658 mm x 4877 mm) "	Six 4' x 8' (1219 mm x 2438 mm) "
24" (610 mm) 32" (813 mm)	12' x 24' (3658 mm x 7315 mm) "	Nine 4' x 8' (1219 mm x 2438 mm) "
24" (610 mm) 32" (813 mm)	16' x 24' (4877 mm x 7315 mm) "	Twelve 4' x 8' (1219 mm x 2438 mm) "
24" (610 mm) 32" (813 mm)	16' x 32' (4877 mm x 9754 mm) "	Sixteen 4' x 8' (1219 mm x 2438 mm) "
24" (610 mm) 32" (813 mm)	20' x 32' (6096 mm x 9754 mm) "	Twenty 4' x 8' (1219 mm x 2438 mm) "

Typical sets can include any or all of the following: Two stairways with double handrails, drapery closures, guardrails and a universal cart.


PRE-CONFIGURED SEATED RISER SETS

Many facilities use StageTek in rehearsal rooms as a way to elevate seating for better sightlines without losing any of the cubic volume critical to the acoustical performance of the room.

	 Horseshoe Shape	 Wing Shape	 Arc Shape
3' (914 mm) DEEP TIERS			
Capacity*			
51-60	26'11" x 16'6" (8204 x 5029 mm)	38'11" x 10'6" (11862 x 3200 mm)	35'5" x 14'9" (10795 x 4496 mm)
72-88	36'11" x 18'6" (11252 x 5639 mm)	52'11" x 10'6" (16129 x 3200 mm)	48'3" x 16'2" (14707 x 49226 mm)
4' (1219 mm) DEEP TIERS			
Capacity*			
51-60	34' x 21' (10363 x 6401 mm)	50' x 13' (15240 x 3962 mm)	45'4" x 18'8" (13818 x 5690 mm)
69-84	50' x 21' (15240 x 6401 mm)	66' x 13' (20117 x 3962 mm)	61'4" x 18'8" (18694 x 5690 mm)

RECTANGULAR SETS

Capacity*	Dimensions
36-40	28' x 16' (8534 x 4877 mm)
72-84	48' x 20' (14630 x 6096 mm)



Seated riser sets can be configured into several shapes simply by changing the location of the pie sections.

Wenger can assist you to create a set that will work for you.

*First seating capacity number indicates capacity on the risers. Second number indicates seating capacity with one row of chairs on the floor. Seating capacities are based on 32" (813 mm) (band/orchestra) and 26" (660 mm) (choral) chair spacing. Back row extensions are available.



Wenger®

CORPORATION

Minnesota Location Wenger Phone 800.4WENGER (493-6437) Wenger Worldwide +1.507.455.4100 | Parts & Service 800.887.7145 | wengercorp.com
GearBoss Phone 800.493.6437 | gearboss.com
555 Park Drive, PO Box 448 | Owatonna | MN 55060

New York Location JR Clancy Phone 800.836.1885 JR Clancy Worldwide +1.315.451.3440 | jrclancy.com | 7041 Interstate Island Road | Syracuse | NY 13209

Brands of Wenger Corporation

Follow us on Social Media



© 2024 Wenger Corporation
USA/4-24/D/W/LT00240

