High-Density Portable Audience Chairs



- · Engineered for arenas, theaters, amphitheaters, performing arts venues, and any other facility that requires high-capacity seating
- · Durable X-Frame design prolongs chair life and enhances comfort
- · Double tube and channel 18-gauge steel frame with 11-gauge K Brace for extra strength provide strength, durability and flexibility
- · Frame is black powder-coat paint finish for maximum durability
- · Black fabric or vinyl are standard, other patterns and colors are available (please confirm desired upholstery material when ordering)
- California Technical Bulletin 117 compliance is standard
- · Rubber, non-marring feet formed over flat steel inserts help protect floors
- · Optional uplift seat allows for safer, wider seating rows when unoccupied and easier passing when occupied
- Removable and folding armrests are available
- Standard and contour chairs have a weight limit of 450 lb (204 kg), compact chairs have a weight limit of 350 lb (159 kg)
- Environmental attributes for our products can be found at www.wengercorp.com/green-initiatives.php or by contacting your Wenger representative
- · Ten-year limited warranty



Compact Padded Seat



Standard Padded Seat



Contour Seat

- **234A100 -** Compact padded seat with 1.5" (38 mm) padding and arced back
- 234A101 Compact padded seat with 1.5" (38 mm) padding and arced back with two folding arm rests
- 234A102 Compact padded seat with 1.5" (38 mm) padding and arced back with auto-uplift
- 234A103 Compact padded seat with 1.5" (38 mm) padding and arced back with two folding arm rests and auto-uplift

234A104 - Standard padded seat with 3" (76 mm) padding and arced back

234A105 - Standard padded seat with 3" (76 mm) padding and arced back with two folding arm rests

234A106 - Standard padded seat with 3" (76 mm) padding and arced back with auto-uplift

234A107 - Standard padded seat with 3" (76 mm) padding and arced back with two folding arm rests and auto-uplift

234A112 - Contour seat with 3" (76 mm) padding and arced back

234A113 - Contour seat with 3" (76 mm) padding and arced back with two folding arm rests

234A114 - Contour seat with 3" (76 mm) padding and arced back with auto-uplift


234A115 - Contour seat with 3" (76 mm) padding and arced back with two folding arm rests and auto-uplift


Wide Standard Padded Seat


- **234A108 -** Standard wide padded seat with 3" (76 mm) padding and arced back
- 234A109 Standard wide padded seat with 3" (76 mm) padding and arced back with two folding arm rests
- 234A110 Standard wide padded seat with 3" (76 mm) padding and arced back with auto-uplift
- **234A111** Standard wide padded seat with 3" (76 mm) padding and arced back with two folding arm rests and auto-uplift

Wide Contour Seat

- **234A116 -** Contour wide seat with 3" (76 mm) padding and arced back
- 234A117 Contour wide seat with 3" (76 mm) padding and arced back two with folding arm rests
- 234A118 Contour wide seat with 3" (76 mm) padding and arced back with auto-uplift
- **234A119** Contour wide seat with 3" (76 mm) padding and arced back with two folding arm rests and auto-uplift







Options

Armrest Options

- Armless chairs allow for the highest capacity
- Standard Arm 234A300: Add comfort and personal space
 - Plastic molded or upholstered arms are available (please confirm desired material when ordering)
- Cup Holder Arm 234A301: Add convenience, comfort and personal space
- Folding Arms: Add comfort and personal space without having to store removable arms







Removable Standard Arm

Removable Cup Holder Arm

Folding Arms

Seat Options

- Compact Padded Seat: 1.5" (32 mm) padded seat has the smallest storage envelope for the highest density storage Chair is only 3" (76 mm) thick when folded, requiring 30-40% less storage space than standard tubular frame folding chairs
- Standard Padded Seat: 3" (76 mm) padded seat provides exceptional occupant comfort
- Contour Padded Seat: Molded foam seat cushion for advanced occupant comfort



Compact Padded Seat 1.5" (32 mm) thick



Standard Padded Seat 3" (76 mm) thick



Contour Seat 3" (76 mm) thick

Ganging System

- Standard easy to use ganging system



Ganging System

Uplift Options

- Manual: seat must be lifted and lowered manually
- Automatic: additional spring returns seat to the lifted position when unoccupied

Storage Carts

- · Ease of transport
- Maximize storage space
- · Heavy gauge steel construction

Hanging Carts

Great for lower chair quantities

- 234A200: Dimensions: 68.3" long x 36.1" wide x 79" high (1735 x 917 x 2007 mm)

Capacities: 60 compact padded seat chairs, 48 standard or 36 contour padded seat chairs

- 234A201: Dimensions: 89" long x 36.1" wide x 79" high (2261 x 917 x 2007 mm)

Capacities: 80 compact padded seat chairs, 64 standard or 48 contour padded seat chairs

Vertical Storage Carts

Works well in facilities that want to store chairs under a stage

- 234A203: Dimensions: 72" long x 21.5" or 24" wide x 39" high (1829 x 546 or 610 x 991 mm)

Capacities: 24 compact padded seat chairs, 15 standard or contour padded seat chairs

- 234A204: Dimensions: 96" long x 21.5" or 24" wide x 39" high (2438 x 546 or 610 x 991 mm)

Capacities: 32 compact padded seat chairs, 20 standard or contour padded seat chairs

- 234A205: Dimensions: 120" long x 21.5" or 24" wide x 39" high (3048 x 546 or 610 x 991 mm)

Capacities: 40 compact padded seat chairs, 24 standard or contour padded seat chairs

Removable Arm Cart

- 234A202: Dimensions: 58" long x 45" wide x 65" high (1473 x 1143 x 1651 mm)

Capacities: 144 arms



Hanging Cart



Removable Arm Cart











Music Education and Performing Arts

Owatonna Office: Phone 800.4WENGER (493-6437) Worldwide +1.507.455.4100 | Parts & Service 800.887.7145 | wengercorp.com

555 Park Drive, PO Box 448 | Owatonna | MN 55060-0448

Syracuse Office: Phone 800.836.1885 Worldwide +1.315.451.3440 | jrclancy.com | 7041 Interstate Island Road | Syracuse | NY 13209-9713

Athletics Phone 800.493.6437 | email gearboss@wengercorp.com | gearboss.com | 555 Park Drive, PO Box 448 | Owatonna | MN 55060-0448