

SHOWMOBILE®

Wenger®

Your Performance Partner



Any Event, Anyplace, Anytime.

The idea came from an American icon, the community band shell. We wired it for high-tech light and sound equipment, gave it a retractable stage, positionable roof and overhead canopy. Then we put it all on wheels so you could take it anywhere. It's called the Showmobile, and who better to bring it to you than the people at Wenger Corporation — the originators of the first mobile performance center in 1959.

The feature-packed Showmobile is so versatile, so easy to transport, so fast to set up, you can use it to put on any event anywhere. And because of its mobility, Showmobile won't permanently alter the natural beauty of your parks. Showmobile brings built-in excitement to concerts, political rallies, speeches, dances, parades, sporting events, fairs, graduations and festivals - big or small, any event will be a better event. With a great base price and flexible purchase plans, the Showmobile is well within reach.



AT SET-UP TIME, SHOWMOBILE DOES ALL THE HARD WORK FOR YOU.



TOW THE SHOW

Showmobile's lightweight design allows access to more locations. When you reach the event location, it's easy to unhitch and drive the truck away.



COME ON IN

The entire panel on each end opens for easy access into the Showmobile and then becomes an adjustable side-stage sound reflector. The stainless steel door handles have integral locks so you don't have to worry about loose padlocks.



GRAB THE CONTROL

Deploy the hydraulic roof/canopy and stage via wired remote control. Outside power isn't needed. You can lock the control for security or remove it altogether.



RAISE THE ROOF

Hydraulics raise the roof and canopy fast and smoothly - it only takes about 60 seconds. The high pivot point provides greater on-stage volume for improved sound reflection and better acoustics. The system is protected by counterbalance and velocity- check components for added safety.



SET THE STAGE

The stage is also deployed via the remote control. Dual hydraulic cylinders lower it quickly. You can then adjust the five stage legs to accommodate uneven or sloping ground to maintain a level stage.



THE BIG FINISH

Two workers can attach optional light-weight Versalite® Stage extension units in the front and sides of the main stage in minutes. The adjustable, all-terrain stair can be positioned anywhere around the stage perimeter.



SLEEP TIGHT

The roof and canopy can be lowered into the closed position, and the side doors can be shut and locked even with the stage deck fully deployed. You won't need to take down stage extensions or stairs. Equipment on stage is protected from weather or vandals and is ready for another performance and another day.

SHOWMOBILE FEATURES



SOUNDS GOOD, LOOKS GOOD

Wall surfaces are constructed with acoustically reflective panels. This attractive fiberglass composite material is weather resistant and provides superior sound reflection. The deck is surfaced with weather-resistant, skid-free stage deck components.



GET OUT OF THE RAIN

Extruded aluminum channels on the roof and canopy edges form a continuous gutter system that drains moisture from the unit. These integral channels provide a watertight, dust-tight seal during transport to keep your Showmobile looking great for years.



STORE MORE

The storage compartments provide space for auxiliary equipment like power cords, staging accessories, skirting, sound equipment and other necessities. Access is easy and the compartments are lockable.



A POWER HOUSE

The control compartment contains the load center which provides 110-volt service for fluorescent lights and four onstage outlets. The optional power upgrade adds 220-volt service, two duplex outlets in the roof and four quad outlets on the canopy edge for theatrical lighting.

SHOWMOBILE OPTIONS



PLUG IN AND POWER UP

Fluorescent overhead lighting is standard and is built into the roof and canopy. You can add optional roof and canopy lighting packages that include light bars with theatrical lights. Canopy light bars pivot, store under the canopy and travel without having to disassemble.



EQUAL ACCESS FOR EVERYONE

The optional hydraulic lift provides easy stage access for people and equipment. The entrance door is flush to the curbside wall at the back of the stage. The 12-volt hydraulic system has a load limit of 600 lbs (272.2kg) with remote control operation and manual backup.



A LEVEL-HEADED IDEA

Leveling is simple with the optional hydraulic leveling system. Hydraulic leveling makes set-up even quicker and easier — especially on uneven terrain. Electronic leveling allows the operator to make quick, accurate leveling adjustments with the remote control. This system is also supplied with a wired backup control unit.



SHOWMOBILE BY WENGER IS EASIER TO PURCHASE.

We designed Showmobile to fit the needs of any community or business — large or small. We also designed the basic model to fit your budgets. If you've wanted a Showmobile but couldn't justify it because of the cost, we've put together a few programs that will help.

GENERATE REVENUE

Because Showmobile is so easy to move and use, it's ideal to rent out for all kinds of events. Corporations, theatrical groups, bands, community organizations and neighboring communities are just some of the groups that could rent your Showmobile. A Showmobile rental program can offset a great deal of your purchase costs. Use it when you need it and generate income on the days when you don't. Your Wenger Representative can tell you how other communities have set up successful rental programs.

SO EASY TO USE YOU'LL USE IT FOR MORE.

Showmobile will make every event more professional, more exciting and more convenient.

There are Wenger Showmobiles all over the country, and we're constantly hearing of new and different ways they are being used. Because it's so simple to transport and set up, it makes sense to spec Showmobile into the plans for any event — large or small.

- Community band and orchestra concerts
- Children's theater
- Tournament sign-up headquarters for sports events
- Seminar stage
- Park programs
- Festivals and fairs
- Choral concerts
- Awards ceremonies
- Political speeches and functions
- Contest platform
- Interpretation and information center
- Plays
- Outdoor graduation ceremonies
- Groundbreaking ceremonies
- Judges/parade headquarters
- Shakespeare in the park

Wenger®

Your Performance Partner

THE WENGER SHOWMOBILE®

The Showmobile features a full-scale, thrust-style stage with a cantilevered canopy and a state-of-the-art acoustical shell that's finished inside and out. With Showmobile there are no unsightly edges, seams or fasteners. Setup and operation are simple and fast. Numerous upgrades and accessories are available, enabling the user to equip the Showmobile exactly as needed.

STANDARD EQUIPMENT

- Full 28' (8.5m) main stage section with no lose stage deck platforms.
- Deck surfaces available in black or sand colored polyglass.
- Manual leveling jacks with two removable cranks.
- End doors open for easy access and become adjustable side-stage sound reflectors.
- Hydraulic canopy and stage deployment with wired remote control module.
- Built-in overhead fluorescent lighting.
- Power center with lockable door containing 110-volt load center.
- 12-volt battery and charger for the hydraulic system.
- Two storage compartments built into the curb side below stage level.
- Duplex electrical outlets, four on-stage and one located near the battery for charging.
- 110-volt power cable, 50 feet long (15.2m).
- Eight on-stage tie-downs with four tie-down straps.
- One adjustable all-terrain stairway with handrails.
- Pintle hitch coupler.
- G-rated tubeless radial tires.

GENERAL SPECIFICATIONS

Travel Dimensions

| | |
|---------------------------------------|---------------|
| Overall length (includes hitch) | 33'8" (10.3m) |
| Body length | 28' (8.5m) |
| Overall width | 8'5" (2.6m) |
| Overall height | 13'3" (4m) |

Performance Dimensions

| | |
|--|------------------------|
| Main stage floor | 28' x 6'6" (8.5m x 2m) |
| Hydraulic stage | 28' x 8' (8.5m x 2.4m) |
| Stage height from ground | 3'6" (1.1m) |
| Canopy height from stage (max.) | 17'4" (5.3m) |
| Upstage canopy height from floor | 9'3" (2.8m) |



OPTIONAL UPGRADES

These upgrades can only be installed at time of purchase.

- Custom graphics with your logo or other designs can be applied with a 3M vinyl adhesive process — 70 color options.
- Electrical upgrade includes 220-volt power cable, four quadplex electrical outlets on the canopy, two duplex outlets on the back wall, and an additional load center.
- Hydraulic leveling reduces set-up time with four hydraulic leveling jacks. Includes wireless remote with auto-level system.
- Disability lift on curb side of the Showmobile. Low profile with access door, manual backup and remote.

ACCESSORIES

These accessories can be added to your Showmobile at any time.

- Stage extensions. Versalite® Platform packages are available to extend your stage from the sides or front. Stage sizes of 16' x 40', 24' x 40' or 20' x 40' (4.9m x 12.2m, 7.3m x 12.2m or 6.1m x 12.2m) can be created, as well as other configurations you may specify. Includes platforms, adjustable legs and all connectors.
- Stage railings can be added to Versalite stage extensions.
- Stage skirting will dress up your Showmobile. Available in 25 colors.
- Stairways. Additional stairways can be set up anywhere on the stage perimeter.
- Audio Systems. Three systems are available for professional-quality sound - Basic, Premier and Deluxe options.
- Incandescent show lights. Packages feature light bars, fixtures, lamps, gel frames and gels. Packages require an electrical upgrade.
- Portable generator. For 110-volt power where electrical service is not available.



© 2016 Wenger Corporation
USA/9-16/2M/W/LT0196C



WENGER CORPORATION Phone 800.4WENGER (493-6437) Worldwide 1.507.455.4100 | Fax 507.455.4258 Worldwide 1.507.774.8576
Parts & Service 800.887.7145 | Canada Office 800.268.0148 | Web wengercorp.com | 555 Park Drive, PO Box 448 | Owatonna | MN 55060-0448

GEARBOSS Phone 800.493.6437 | email gearboss@wengercorp.com | Web gearboss.com | 555 Park Drive, PO Box 448 | Owatonna | MN 55060-0448

JR CLANCY Phone 800-836-1885 Worldwide 315.451.3440 | Fax 877.836.1885 Worldwide 315.451.1766 | Web jrclancy.com
7041 Interstate Island Road | Syracuse | NY 13209-9713