



StageTek® Staging System Accessories

Staging Universal Deck & Rail Cart

- 113K001 85 lb (38 kg); fits through a 32" (813 mm) door
- Unloaded cart dimensions: 30"w x 40"l x 49"h (762 x 1016 x 1245 mm)
- Holds six StageTek rectangular decks (without accessories) or six StageTek guardrails
- Decks and guardrails can be mixed on the same cart
- Ideal for non-rectangular units such as pie shapes used in seated risers and oversize units
- Heavy-duty 8" (203 mm) non-marring locking casters and ratcheting nylon safety strap




Staging Universal Deck & Rail Cart
Loaded with six Rectangular Decks



Staging Universal Deck & Rail Cart
Loaded with Six Guardrails


The universal deck & rail cart is not recommended to be used on gravel, grass, or soft ground.




Staging Universal Deck & Rail Cart
Loaded with Six Rectangular Decks

Stairways – Fixed Height and Adjustable

- Adjustable stairways are ideal for custom-height systems and for systems that are frequently set up at different heights
- Stairways feature a hook bracket to function with StageTek decks
- Stairs feature aluminum extruded treads and include permanent handrails on both sides



Fixed Height Stairway
4-Step Model





Adjustable Height Stairway
4-Step Model

Fixed Height Stairways	Adjustable Height Stairways
2-Step: 281A100 55 lb (25 kg)	3-Step: 281A201 107 lb (49 kg)
3-Step: 281A101 76 lb (34 kg)	4-Step: 281A202 122 lb (55 kg)
4-Step: 281A102 94 lb (43 kg)	6-Step: 281A203 160 lb (73 kg)
	8-Step: 281A204 188 lb (85 kg)


Guardrails

- Guardrails comply with IBC code requirements for loading
- Guardrails can function as a chair stop
- Guardrails are 42" (1067 mm) high with a black powder-coat paint finish
- Guardrails clamp to the stage deck without the need for tools
- Standard Guardrails
 - Feature two uprights and three cross bars; optional infill panels can be added that comply with the IBC 4" (102 mm) sphere code
 - 3' (914 mm) 40 lb (18 kg)
 - 4' (1219 mm) 44 lb (20 kg)
 - 6' (1829 mm) 50 lb (23 kg)
 - 8' (2438 mm) 55 lb (25 kg)
- Round Picket Guardrails
 - Feature 3/4" (19 mm) round vertical pickets that comply with the IBC 4" (102 mm) sphere code
 - 3' (914 mm) 41 lb (19 kg)
 - 4' (1219 mm) 50 lb (25 kg)


**Guardrail with
Optional Infill Panels**



Standard



Standard with Infill Panels




Round Picket

Clamps, Connectors and Braces


- Optional retention clips for leg storage mount under the deck to provide retained leg storage
- A variety of leg straps, metal leg to leg, leg to deck, overlap and anchor brackets are available
- Stabilizing braces are recommended for heights 40" (1016 mm) and above
- Optional deck-to-deck cam locks are built into the deck frame; cams can be locked or opened via a small tool access hole on top of the platform

Backdrop and Closure Panels

- Drapery is available in heights to match the staging elevation and in a wide variety of colors
- 100% fire retardant woven polyester attaches with hook and loop fastening strips
- Backdrop frame attaches to guardrails and positions a drapery 8' (2438 mm) above the stage; available in 4' (1219 mm), 6' (1829 mm), and 8' (2438 mm) widths
- Solid side and front closures are ideal for seated riser systems
 - Constructed of the same material as the deck with the same surface options
 - Edges are finished in a thermofused black edge band
 - Connects to the rail without tools via an extruded PVC clip running the length of the closure



StageTek Seated Riser Configuration
With Guardrails and Closure Panels



Wenger

JRCLANCY

GEARBOSS

© 2026 Wenger Corporation
USA/2026-01

Minnesota Location

Wenger Phone 800.4WENGER (493-6437) Wenger Worldwide +1.507.455.4100 | Parts & Service 800.887.7145 | wengercorp.com
GearBoss Phone 800.493.6437 | gearboss.com
555 Park Drive, PO Box 448 | Owatonna | MN 55060

New York Location

J.R. Clancy Phone 800.836.1885 JR Clancy Worldwide +1.315.451.3440 | jrclancy.com | 7041 Interstate Island Road | Syracuse | NY 13209