

Congratulations on your purchase of StageTek!

Please follow these steps to help ensure a safe and successful delivery.

Before Unloading

Confirm the delivery location:

Make sure that your facility can receive this shipment.

Pallet sizes vary between

4'x8' (1219 x 2438 mm) | 4'x6' (1219 x 1829 mm) | 3'x8' (914 x 2438 mm).

⚠ CAUTION

*Individual decks may weigh
more than 100 lbs (45 kg).*

Manual Unloading (see page 2)

Prior to unloading, inspect the load for freight damage before accepting the product.

Line up your crew (two to four people recommended):

1. The delivery will require assistance from two to four people at your facility.
2. Safely offload the products from the truck outside your facility.
3. Your crew is responsible for transporting the products into the building and for completing the final assembly.

Forklift Unloading (see page 3)

Prior to unloading, inspect the load for freight damage before accepting the product.

Line up your crew (two people recommended):

1. The products must be unloaded from the truck by people at your facility.
2. Your crew is responsible for transporting the products from the truck into the building and for completing the final assembly.

Manual Unloading

Inspect the load for freight damage before accepting the product.


Depending on the size of your order, Wenger recommends two to four people to receive and unload the items from the truck.

1. Cut the bands:
 - a. The new staging system will arrive securely banded to a pallet.
 - b. Cut the bands with a band cutter and remove the shrink wrap to unload the platforms and cartons.
Note: Loose parts may be packed in between the decks.

2. Unload:
 - a. Move the components to the edge of the truck.
 - b. Transfer to a cart on the ground and move them into your facility.

3. Set-Up:

StageTek Staging is quick and easy to set-up.
See the video tutorial under the “Literature & Videos” tab at:
<https://www.wengercorp.com/risers/stagetek-staging-system.php>



Forklift Unloading

Inspect the load for freight damage before accepting the product.

Depending on the size of your order, Wenger recommends at least two people to receive and unload the items from the truck.

1. Unload:
 - a. The new staging system will arrive securely banded to pallets.
 - b. Use a forklift to transfer the pallets into your facility.
2. Cut the bands:

Cut the bands with a band cutter and remove the shrink wrap to unload the platforms and cartons.

Note: Loose parts may be packed in between the decks.
3. Set-Up:

StageTek Staging is quick and easy to set-up.

See the video tutorial under the “Literature & Videos” tab at:
<https://www.wengercorp.com/risers/stagetek-staging-system.php>

