

# TOURMASTER® CHORAL RISER



### The perfect riser for choirs on the go.

Tourmaster is the only choral riser truly designed to go where choirs go. Whether it's up stairs or around tight corners, each Tourmaster choral riser folds up flat and rolls with the stability and ease of a two-wheel cart. They're easy for anyone to maneuver, transport and set-up. Once in place, it takes just 10 seconds to unfold and lock into the upright position. And the Tourmaster Cart is the ideal tool for moving and storing multiple risers. Each cart holds up to four Tourmaster choral risers, backrails and 4th-step additions - the perfect solution for choirs that travel across the hall or across the country. No other comparable riser sets up so easily or stores in less space.

Tourmaster steps come in either 18" or 24" (457 or 610 mm) depths for performers of all ages. Optional backrails and siderails provide added security and a refined look. And like all Wenger products, Tourmaster is built extremely tough to ensure solid performances, year after year.



# TOURMASTER® CHORAL RISER



18" (457 MM) 3-STEP 6' (1829 MM) TOURMASTER SETS		
GROUP CAPACITY*	UNITS NEEDED	SPACE REQUIRED
12-16	1	6'w x 4'10"d (1829w x 1473d mm)
24-32	2	11'10"w x 6'4"d (3607w x 1930d mm)
36-48	3	17'5"w x 6'3"d (5309w x 1905d mm)
48-64	4	22'5"w x 7'7"d (6833w x 2311d mm)
60-80	5	26'10"w x 9'd (8179w x 2743d mm)
72-96	6	30'7"w x 10'10"d (9322w x 3302d mm)
84-112	7	33'6"w x 12'9"d (10211w x 3886d mm)
96-128	8	35'5"w x 15'd (10795w x 4572d mm)

18" (457 MM) 3-STEP 4' (1219 MM) TOURMASTER SETS		
GROUP CAPACITY*	UNITS NEEDED	SPACE REQUIRED
8-12	1	4'3"w x 4'8"d (1295w x 1422d mm)
16-24	2	8'6"w x 5'd (2591w x 1524d mm)
24-36	3	12'7"w x 5'4"d (3835w x 1626d mm)
32-48	4	16'8"w x 6'1"d (5080w x 1854d mm)
40-60	5	20'4"w x 6'8"d (6198w x 2032d mm)
48-72	6	23'10"w x 7'8"d (7264w x 2337d mm)
56-84	7	27'w x 8'8"d (8230w x 2642d mm)
64-96	8	30'w x 9'11"d (9144w x 3023d mm)

24" (610 MM) 3-STEP 4'7" (1397 MM) TOURMASTER SETS		
GROUP CAPACITY*	UNITS NEEDED	SPACE REQUIRED
8-12	1	4'7"w x 6'2"d (1397w x 1880d mm)
16-24	2	9'2"w x 6'6"d (2794w x 1981d mm)
24-36	3	13'6"w x 6'10"d (4115w x 2083d mm)
32-48	4	17'10"w x 7'7"d (5436w x 2311d mm)
40-60	5	21'10"w x 8'2"d (6655w x 2489d mm)
48-72	6	25'8"w x 9'3"d (7823w x 2819d mm)
56-84	7	29'2"w x 10'2"d (8890w x 3099d mm)
64-96	8	32'3"w x 11'6"d (9804w x 3505d mm)

18", 4' (457, 1219 mm), 4th-step addition will add space for 3-4 performers per unit. 24" (610 mm), 4th-step addition will add space for 3-4 performers per unit. 18", 6' (457, 1829 mm), 4th-step addition will add space for 4-5 performers per unit.

\* First number indicates how many performers will fit on a riser set if all performers stand shoulder to shoulder. Second number indicates how many performers will fit on a riser set if they are all facing center with shoulders overlapping. Numbers include a row of performers standing on the floor. Adult groups should use the lower capacity number.



Numbers vary depending on the physical size of members, overlapping shoulders and the use of the ground as an additional row. As a general rule, adult choirs should work with the smaller capacity number.


Note: Choral risers are not designed for dance or active choreography.



The 6' x 18" (1829 x 457 mm) Tourmaster accommodates 12 - 16 choir members.

The 4' x 18" and 24" (1219 x 457 and 610 mm) Tourmaster accommodates 8 - 12 choir members.

## Tourmaster Backrails and Siderails



Backrail Swing Bracket



Siderail Swing Bracket

Optional backrails and siderails are recommended for added security. They attach quickly and securely with swing brackets and without the need for tools.

## Tourmaster 4th-Step Addition



An optional 4th-step addition is available for all Tourmaster Choral Risers. The 4th-step addition attaches to each corresponding Tourmaster Riser with integral leg clamps, without the need for tools.

## Pops up in just 10 seconds.



Four-foot Tourmaster rolls smoothly and securely down the hall, around tight corners, even down stairs.



For set-up, Tourmaster unfolds easily like an accordion.



Just step on the frame and lift. The Lift Assist mechanism helps you raise the riser and lock it into the upright position.



Once set up, Tourmaster is as solid and stable as heavier fold-and-roll risers.



Take down is just as easy. Just activate the foot-pedal release, push and let down.

## Tourmaster Cart

Perfect for moving and storing in your facility or traveling across the country.



Tourmaster carts are available for 4' and 6' (1219 and 1829 mm) 18" (457 mm) steps, as well as the 24" (610 mm) step Tourmaster riser.



Carts have heavy-duty swivel casters for easy maneuverability and four pairs of Swing Arms that pivot outward for loading risers.



The Tourmaster cart holds up to four risers including four backrails and four 4th-step additions.



Backrails nest together on Backrail Supports for storage or transport.



Risers stack easily, by alternating the direction of the riser positioning wheels.



Each Swing Arm lifts upward and pivots outward for stacking each riser then inserts into holding sockets for a secure fit.




Four 4th-step additions can be stacked on top of the fourth Swing Arm then attached securely to the cart frame with buckled straps.



# TOURMASTER® CHORAL RISER



## COLORS



## PRODUCT SPECIFICATIONS:



- One-piece design makes set-up extremely fast (10 seconds)
- Easily travels up and down stairs and around tight corners
- Foot pedal activated cross brace locks or releases leg structure automatically
- One person set-up for four-foot model; two people recommended for six-foot model
- Quality construction stands up to years of rough treatment
- Narrow footprint for compact storage
- Heavy-duty wheels and built-in stair glides
- Grey metallic powder-coat finish
- Carpet available in Grey
- Steps are bolted to understructure for maximum security and reduced riser noise
- 3-step/18"-deep (457 mm) model available in 4' and 6' (1219 and 1829 mm) lengths, both with optional 4th-step addition
- 3-step/24"-deep (610 mm) model available in 4'7" (1397 mm) length with optional 4th-step addition
- Swing brackets attach the 4th-step addition to each choral riser without the need for tools
- Steps can be removed and reversed to create semi-circular or straight arrangements as group size changes
- Optional backrail and siderail available for all models
- Backrails comply with OSHA standards and can extend the full riser width to create a continuous backrail when multiple units are placed side-by-side
- 15-year warranty against defects in materials and workmanship

PURCHASE  
ONLINE!

## TOURMASTER CART SPECIFICATIONS:



- Cart holds up to four Tourmaster risers, four backrails and four 4th-step additions
- Buckled straps attach 4th-step additions securely to cart frame
- Backrails nest together on backrail supports
- 6" (152 mm) diameter casters, all 4 casters swivel
- Cart is steel construction with black baked on powder paint
- Lift and rotate swing arms move out of the way to allow risers to be easily loaded and unloaded
- Three cart sizes:
  - Cart for 6' (1839 mm) Tourmaster risers with 18" (457 mm) steps, Part number: 024F950
  - Cart for 4' (1219 mm) Tourmaster risers with 18" (457 mm) steps, Part number: 024F951
  - Cart for 4'7" (1397 mm) Tourmaster risers with 24" (610 mm) steps, Part number: 024F952
- Fits through a standard 36" (914 mm) doorway – 24" (610 mm) riser requires 40" (1016 mm) doorway

Wenger®

JRCLANCY

GEARBOSS®

© 2019 Wenger Corporation  
USA/8-19/200/W/LT0093M



## MUSIC EDUCATION AND PERFORMING ARTS

Owatonna Office: Phone 800.4WENGER (493-6437) Worldwide +1.507.455.4100 | Parts & Service 800.887.7145 | wengercorp.com  
555 Park Drive, PO Box 448 | Owatonna | MN 55060-0448

Syracuse Office: Phone 800.836.1885 Worldwide +1.315.451.3440 | jrclancy.com | 7041 Interstate Island Road | Syracuse | NY 13209-9713

ATHLETICS Phone 800.493.6437 | email gearboss@wengercorp.com | gearboss.com | 555 Park Drive, PO Box 448 | Owatonna | MN 55060-0448