

## CONTENTS

WARRANTY .....	1
USER INFORMATION .....	2
PART/FASTENER LIST .....	2
INSTALLATION VERSALITE UNIT-UNIT CONNECTOR .....	3
CONNECTOR PLACEMENT .....	4

## WARRANTY

The Versalite Unit-Unit Connector is guaranteed free of defects in materials and workmanship for five full years.

Our guarantee assures you of either a full refund or repair or replacement of the defective materials or workmanship without charge, at the discretion of our Customer Service Department.

Just call a Customer Service Representative at 1-800-887-7145 and state the reason you are dissatisfied. If a product return is necessary, your representative will issue a return authorization.

This is your sole remedy for breach of this warranty.

Should you have a question or problem with any Wenger product, don't hesitate to call, even if the product is past warranty. It's important to us that all our customers be satisfied.

This is the sole warranty made by Wenger. Wenger disclaims all other warranties, including the warranties of merchantability and fitness for a particular purpose, as well as all liability for incidental, consequential, special, and indirect damage. Wenger liability for direct damages shall be limited to the amount you paid for the product involved. Wenger reserves the right to make product changes without obligation and to incorporate such changes into products previously sold.

Some states do not allow the exclusion or limitation of damages or warranties, so the above may not apply to you. This warranty gives you specific legal rights. You may also have other rights which vary from state to state.

# IMPORTANT USER INFORMATION

---

## GENERAL

Copyright® 2008 by Wenger Corporation

All rights reserved. No part of the contents of this manual may be reproduced, copied, or transmitted in any form or by any means including graphic, electronic, or mechanical methods or photocopying, recording, or information storage and retrieval systems without the written permission of the publisher, unless it is for the purchaser's personal use.

Printed and bound in the United States of America.

The information in this manual is subject to change without notice and does not represent a commitment on the part of Wenger Corporation. Wenger Corporation does not assume any responsibility for any errors that may appear in this manual.

In no event will Wenger Corporation be liable for technical or editorial omissions made herein, nor for direct, indirect, special, incidental, or consequential damages resulting from the use or defect of this manual.

The information in this document is not intended to cover all possible conditions and situations that might occur. The end user must exercise caution and common sense when assembling or installing Wenger Corporation products. If any questions or problems arise, call Wenger Corporation at 1-800-733-0393.

## MANUFACTURER

The Versalite Unit-Unit Connector is manufactured by:

Wenger Corporation  
555 Park Drive  
Owatonna, MN 55060  
1-507-455-4100 • 1-800-733-0393  
www.wengercorp.com

## INTENDED USE

- This product is intended for indoor use in normal ambient temperature and humidity conditions.
- This product is intended to be used only as described in these instructions.

## BEFORE YOU BEGIN

---

Before installing the Versalite Unit-Unit Connector, do the following:

- Read and understand the installation/operating instructions.
- Remove all items from the shipping carton and arrange the parts similar to the diagram below.
- Make sure that all parts are present.

## TOOLS REQUIRED


---

Tools required for installing the Versalite Unit-Unit Connector are:

- Phillips screwdriver
- Tape Measure

## PART/FASTENER

---



Connector Assembly



Sheet Metal Screw  
#10 x 3/4

# INSTALLING VERSALITE UNIT-UNIT CONNECTOR

1. Put the unit-unit connector on the deck. Make sure the connector base is touching the bottom of the deck and is tight against the frame. (figure A)




figure A

2. Slide the connector along the frame until it is at the right location. Refer to page 4 for the placement instructions. (figure B)




figure B

3. Hold the base firmly to the bottom of the deck. Swing the wings of the connector up out of the way. (figure C)




figure C

4. Insert a screw through the hole and tighten it into the deck using a phillips screwdriver. (figure D)




figure D

5. Release the wings and allow them to swing against the underside of the deck. (figure E)




figure E

6. Repeat for each connector.




figure F

7. To operate the connector, squeeze the tabs together, swing the wings across both Versalite frames, and release the tabs so that they hook onto the frame. (figure F)

# CONNECTOR PLACEMENT

Note: Use extra connector on the 24" pie.

